

Division of Environmental Health and Communicable Disease Prevention				
Section: 4.0 Diseases and Conditions	Updated 7/03			
Subsection: Rocky Mountain Spotted Fever	Page 1 of 9			

Rocky Mountain Spotted Fever Table of Contents

Rocky Mountain Spotted Fever Fact Sheet CDC Lab Form (50.34) Tick-Borne Rickettsial Disease Case Report (MO580-2602)



Division of Environmental Health and Communicable Disease Prevention				

Subsection: Rocky Mountain Spotted Fever Page 2 of 9

Rocky Mountain Spotted Fever

Overview (1, 2)

For a complete description of Rocky Mountain spotted fever, refer to the following texts:

- Control of Communicable Diseases Manual (CCDM).
- Red Book, Report of the Committee on Infectious Diseases.

Case Definition (3)

Clinical description

A tickborne febrile illness most commonly characterized by acute onset and usually accompanied by myalgia, headache, and petechial rash (on the palms and soles in two thirds of the cases)

Laboratory criteria for diagnosis

- Fourfold or greater rise in antibody titer to *Rickettsia rickettsii* antigen by immunofluorescence antibody (IFA), complement fixation (CF), latex agglutination (LA), microagglutination (MA), or indirect hemagglutination antibody (IHA) test in acute-and convalescent-phase specimens ideally taken ≥3 weeks apart, or
- Positive polymerase chain reaction assay to R. rickettsii, or
- Demonstration of positive immunofluorescence of skin lesion (biopsy) or organ tissue (autopsy), or
- Isolation of *R. rickettsii* from clinical specimen

Case classification

Confirmed: a clinically compatible case that is laboratory confirmed Probable: a clinically compatible case with a single IFA serologic titer of \geq 64 or a single CF titer of \geq 16 or other supportive serology (fourfold rise in titer or a single titer \geq 320 by Proteus OX-19 or OX-2, or a single titer \geq 128 by an LA, IHA, or MA test)

Information Needed for Investigation

- Verify the diagnosis. Determine what laboratory tests were conducted and the results.
- Establish the extent of illness. There is no evidence of natural person-to-person transmission; however, there have been cases reported in persons who removed infected ticks from other people or animals and in doing so, crushed the ticks and exposed themselves to infection from the tick. (4)



Division of Environmental Health and Communicable Disease Prevention				
Section: 4.0 Diseases and Conditions	Updated 7/03			
Subsection: Rocky Mountain Spotted Fever	Page 3 of 9			

Case/Contact Follow Up and Control Measures

No contact follow up is required.

Control Measures

See the <u>Control of Communicable Diseases Manual</u>, Rocky Mountain Spotted Fever, "Methods of control."

See the Red Book, Rocky Mountain Spotted Fever, "Control Measures."

Laboratory Procedures

Specimens:

- The Missouri State Public Health Laboratory (SPHL) does not test for rickettsial diseases. However, paired serum specimens can be sent through the SPHL to the Centers for Disease Control and Prevention for testing. Acute and convalescent serum specimens three or more weeks apart should be collected.
- Acute blood specimens can be collected and whole blood sent to the SPHL accompanied by CDC form 50.34; found in this Section or at:
 http://www.cdc.gov/ncidod/dvbid/misc/CDC50_34.pdf (2 June 2003). The SPHL will hold the blood and send a reminder letter for the convalescent specimen.
- Acute blood can be collected, centrifuged and the serum removed and frozen until the convalescent blood is collected. Both acute and convalescent sera should be sent to the SPHL accompanied by CDC form 50.34 for forwarding to CDC for testing.
- Additional information on laboratory procedures can be obtained from the Regional Communicable Disease Coordinator or from staff at the SPHL. The SPHL telephone number is 573-751 0633 and the web site is: http://www.dhss.state.mo.us/Lab/index.htm. (2 June 2003)

Reporting Requirements

Rocky Mountain Spotted Fever is a Category II disease and shall be reported to the local health authority or to the Missouri Department of Health and Senior Services (DHSS) within three days of first knowledge or suspicion by telephone, facsimile or other rapid communication

- 1. For all cases, complete a "Disease Case Report" (CD-1).
- 2. For all cases complete a "Tick-Borne Rickettsial Disease Case Report" (MO 580-2602) revised 3-03.
- 3. Entry of the completed CD-1 into MOHSIS negates the need for the paper CD-1 to be forwarded to the Regional Health Office.
- 4. Send the completed secondary investigation form to the Regional Health Office.
- 5. All outbreaks or "suspected" outbreaks must be reported as soon as possible (by phone, fax, or e-mail) to the Regional Communicable Disease Coordinator. This

Missouri Department of Health and Senior Services Communicable Disease Investigation Reference Manual



Division of Environmental Health and Communicable Disease Prevention				
Section: 4.0 Diseases and Conditions	Updated 7/03			

Subsection: Rocky Mountain Spotted Fever Page 4 of 9

- can be accomplished by completing the Missouri Outbreak Surveillance Report (CD-51)
- 6. Within 90 days of the conclusion of an outbreak, submit the final outbreak report to the Regional Communicable Disease Coordinator.

References

- Chin, James, ed. "Rocky Mountain Spotted Fever (North American tick typhus, New World spotted fever, Tickborne typhus fever, São Paulo fever)." <u>Control of</u> <u>Communicable Diseases Manual</u>. 17th ed. Washington, DC: American Public Health Association, 2000: 430-432.
- American Academy of Pediatrics. "Rocky Mountain Spotted Fever." In: Pickering, LK., ed. <u>2000 Red Book: Report of the Committee on Infectious Diseases</u>. 25th ed. Elk Grove Village, IL. 2000: 491- 493.
- 3. Centers for Disease Control and Prevention. <u>Case Definitions for Infectious Conditions Under Public Health Surveillance</u>. MMWR 1997: 46 (No. RR-10). "Rocky Mountain Spotted Fever (*Rickettsia rickettsii*)," 1996, http://www.cdc.gov/epo/dphsi/casedef/rockycurrent.htm (2 June 2003)
- 4. Walker, David H. and Didier Raoult. "Rickettsia Rickettsii and Other Spotted Fever Group Rickettsiae (Rocky Mountain Spotted Fever and Other Spotted Fevers)."

 <u>Principles and Practice of Infectious Diseases</u>. 5th ed. Eds. Gerald L. Mandell, John E. Bennett, and Raphael Dolin. New York: Churchill Livingstone, 2000: 2035-2040.

Other Sources of Information

- 1. Woodward, Theodore E. and Dumler, J. Stephen. "Rocky Mountain Spotted Fever." <u>Bacterial Infections of Humans Epidemiology and Control</u>. 3rd ed. Eds. Alfred S. Evans and Philip S. Brachman. New York: Plenum, 1998: 597-612.
- 2. The Merck Veterinary Manual. 8th Ed. Ed. Susan E. Aiello. Whitehouse Station, NJ: Merck & Co., Inc., 1998: 47, 564, 924, 2168.

 http://www.merckvetmanual.com/mvm/index.jsp (search "Rocky+Mountain+spotted+fever"). (2 June 2003)

Web Resources and Information

- 1. Centers for Disease Control and Prevention Rocky Mountain Spotted Fever, http://www.cdc.gov/ncidod/dvrd/rmsf/index.htm (2 June 2003)
- 2. Association of State and Territorial Directors of Health Promotion and Public Health Education Rocky Mountain Spotted Fever, http://www.astdhpphe.org/infect/rms.html (2 June 2003)
- 3. New York State Department of Health Communicable Disease Fact Sheet Rocky Mountain Spotted Fever (tick-borne typhus fever), http://www.health.state.ny.us/nysdoh/consumer/rocky.htm (2 June 2003)

Rocky Mountain Spotted Fever

FACT SHEET

What is Rocky Mountain Spotted Fever?

Rocky Mountain spotted fever is a serious, generalized infection that is usually spread to people by the bite of infected ticks. The disease gets its name from the Rocky Mountain area where it was first identified. However, it occurs in many other parts of the United States, including Missouri.

How do people get Rocky Mountain Spotted Fever?

People ordinarily get Rocky Mountain spotted fever from the bite of an infected tick. At least four to six hours of attachment and feeding on blood by the tick are required before transmission can occur. Contamination of breaks in the skin or mucous membranes with crushed tissues or feces of the tick may also lead to infection. It is not spread from person-to-person, except on rare occasions by blood transfusion.

What are the symptoms?

Sudden fever (which can last for two or three weeks), severe headache, tiredness, deep muscle pain, chills, or nausea. In about half of the cases, a red, raised rash appears on the arms and legs, particularly on the palms of the hands and soles of the feet, and then spreads to the trunk. Rocky Mountain spotted fever can be fatal if not treated promptly.

How soon after exposure do symptoms appear?

The symptoms begin between 3 to 14 days after the tick bite.

What is the treatment?

It can be treated with antibiotics. Many people with the disease require hospitalization.

How should a tick be removed?

Ticks should be removed promptly and carefully by using tweezers and applying gentle, steady traction. Do not crush the tick's body when removing it and apply the tweezers as close to the skin as possible to avoid leaving tick mouthparts in the skin. Do not remove ticks with your bare hands. Protect your hands with gloves, cloth, or tissue and be sure to wash your hands after removing a tick.

After removing the tick, disinfect the skin with soap and water or other available disinfectants.

How can Rocky Mountain Spotted Fever be prevented?

- 1. Avoid tick-infested areas, especially during the warmer months.
- 2. Wear light colored clothing so ticks can be easily seen. Wear a long sleeved shirt, hat, long pants, and tuck your pant legs into your socks.
- 3. Walk in the center of trails to avoid overhanging grass and brush.
- 4. Check your body every few hours for ticks when you spend a lot of time outdoors in tick-infested areas. Ticks are most often found on the thigh, arms, underarms, legs or where tight fitting clothing has been. Ticks should be removed immediately.
- 5. Use insect repellents containing DEET on your skin or permethrin on clothing. Be sure to follow the directions on the container and wash off repellents when going indoors. Carefully read the manufacturer's label on repellents before using on children.
- 6. Remove attached ticks immediately.

Missouri Department of Health and Senior Services Section for Communicable Disease Prevention Phone: (866) 628-9891 or (573) 751-6113

LABORATORY EXAMINATION(S) REQ	CATEGORY OF AGENT SUSPECTED:							
ANtimicrobial ISolation				☐ BActerial ☐ Rickettsial				
☐ HIstology ☐ SErology (Specific	Test)		☐ VIral ☐ PArasitic ☐ FUngal ☐ OTher (Specify)					
☐ IDentification ☐ OTher (Specify)	☐ FU ngal							
SPECIFIC AGENT SUSPECTED:	OTHER ORGANISM(S) FOUND:	ISOLATION ATTEMPTED?	NO. OF TIMES	NO. OF TIMES		JBMITTED IS:		
			ISOLATED:	PASSED:	☐ Original Ma	aterial Mixed Isolate		
		YES NO			- Pure isolati	e 		
DATE SPECIMEN TAKEN:	ORIGIN:			☐ OT her				
	<u> </u>			_				
SOURCE OF SPECIMEN:			SUBMITTED OF	J.				
	(Site)							
	e (Site)							
SErum SKin _			☐ ANimal					
SPutum STOOI	Specify)							
☐ UR ine ☐ TH roat ☐ OT her (S	pecify)		☐ EGg ☐ (OTher (Specify)				
SERUM INFORMATION: MO DA YE	MO DA YR	SiGi	NS AND SYMPTON	MS:		VOUS SYSTEM:		
	□ 53/		FEver Maximum Temper	rature:	☐ HEadache ☐ MEningism	118		
□ ACute //			Duration:		■ MIcrocepha	alus		
			CHills	Days	☐ HYdroceph	alus		
IMMUNIZATIONS:	МО	SKIN	N:		CErebral C	alcification		
		1 =	MAculopapular		☐ CHorea			
(2.)			HEmorrhagic VEsicular		☐ PA ralysis ☐ OT her			
(3.)		🗖	Erythema Nodosu					
(4.)			Erythema Margina OTher	tum	MISCELLANEO JAundice	US:		
TREATMENT: DRUGS USED None	DATE BEGUN DATE COM	IPLETED			MYalgia			
	MO DA YR MO DA	YR RES	PIRATORY: RHinitis		☐ PLeurodyni☐ COnjunctivi			
		🗖	PU lmonary		☐ CH orioretin	nitis		
(2.)		📙	PHaryngitis CAlcifications		☐ SPlenomeg			
(3.)			Otitis Media Liver Abs			ess/cyst		
EPIDEMIOLOGICAL DATA:			PNeumonia (type)		LYmphader			
☐ SIngle Case ☐ SPoradic ☐ C	COntact		OTher Mucous Membra OTher			andrane Lesions		
Family Illness			DIOVASCULAR:		STATE OF ILLN	Ecc.		
Community Illness			MYocarditis PEricarditis		STATE OF ILLNESS: SYmptomatic Asymptomatic			
Travel and Residence (Location)			EN docarditis					
Foreign			OTher		☐ SUbacute ☐ CHronic			
_			TROINTESTINAL:		☐ DI sseminat	ed		
_			Dlarrhea ☐ BLood		■ LOcalized■ EXtraintestinal			
			☐ MUcous					
Anthropod Contacts: None	Exposuer Only		☐ COnstipation ☐ ABnormal Pain					
Type of Anthropod:		🗖	☐ VO miting					
Suspected Source of Infection:			OTher					
PREVIOUS LABORATORY RESULTS/0	THER CLINICAL INFORMATION: (Informa	ation supplied should	be related to this	case and/or specim	en(s) and relative	to the test(s) requested.		
			, 18.0 	FV	NUMBER	OUE		
CDC 50.34 Rev. 09/2002 (BACK)	- CDC SPECIMEN SUBMISSION FORM	- CDC NU	UNIT MBER	FY	NUMBER	SUF.		

Justification must be completed by State health department labora CDC. Please check the first applicable statement and when approparation of the properties of public health importance. Specime (a) from an outbreak. (b) from uncommon or exotic disease (c) an isolate that cannot be identified, is atypical, shows must normally sterile site(s) (d) from a disease for which are unavailable in State.	en is: ase. ultiple antibiotic resistance, or from a	STATE HEALTH DEPARTMENT LABORATORY ADDRE	:SS:
 2. Ongoing collaborative CDC/State project. 3. Confirmation of results requested for quality assurance. 	Completed by:	1	
*Prior arrangement for testing has been made. Please bring to the attention of:		STATE HEALTH DEPT. NO.:	DATE SENT TO CDC:
(Name):	Date://	PATIENT IDENTIFICATION: (Hospital No.)	(MM/DD/YYYY)/
Name, Address and Phone Number of Physician or O	rganization:	NAME:	
		(LAST, FIRST, MI) BIRTHDATE:	
		(MM/DD/YYYY)/	SEX: MALE FEMALE
		DIAGNOSIS:	
(FOR CDC USE ONLY) CDC NUMBER UNIT FY NUMBER	SUF DATE RECEIVED NO DA YR	ASSOCIATED ILLNESS:	
		DATE OF ONSET: (MM/DD/YYYY) ORM MUST BE COMPLETED	FATAL? YES NO
PLEA		THER PRINTED OR TYPED TE FORM FOR EACH SPECIMEN DATE REPORTED	
		MO DA YR	
	0 3		
	Comments:		
		D 6 5	
PORTOR SERVICES CO.	Public He Centers for D	TH AND HUMAN SERVICES alth Service Disease Control Potious Diseases	C



nter for Infectious Diseas Atlanta, Georgia 30333



The Centers for Disease Control (CDC), an agency of the Department of Health and Human Services, is authorized to collect this information, including the Social Security number (if applicable), under provisions of the Public Health Service Act, Section 301 (42 U.S.C. 241). Supplying the information is voluntary and there is no penalty for not providing it. The data will be used to increase understanding of disease patterns, develop prevention and control programs, and communicate new knowledge to the health community. Data will become part of CDC Privacy Act system 09-20-0106, "Specimen Handling for Testing and Related Data" and may be disclosed: to appropriate State or local public health departments and cooperating medical authorities to deal with conditions of public health significance; to private contractors assisting CDC in analyzing and refining records; to researchers under certain limited circumstances to conduct further investigations; to organizations to carry out audits and reviews on behalf of HHS; to the Department of Justice in the event of litigation, and to a congressional office assisting individuals in obtaining their records. An accounting of the disclosures that have been made by CDC will be made available to the subject individual upon request. Except for permissible disclosures expressly authorized by the Privacy Act, no other disclosure may be made without the subject individual's written consent.

([≅ 444 (2 62)3(TMENT OF HE					CDC N	IO. (1-4) MOI	HSIS ID NUMBER	
TICK-	BORNE RIC	CKETTSIA	L DISEAS	SE CASE R	EPORT			IOIO ID NOMBER	
Use for: Rocky Mou			ehrlichiosis	(human mono	cytic ehrlichiosi	is [HME], a	ınd human granu	locytic ehrlich	niosis [HGE]).
PATIENT/PHYSICIA PATIENT'S NAME	N INFORMATI	ION					DAT	E SUBMITTED (5-1	12)
TANLETT O TANLE								_ / /	MM/DD/YY
ADDRESS (NUMBER, STREE	ET)			CIT	Y		ı		
DUVEICIANI'S NAME		l p	HVCICIANITELE	DHONE NI IMPED		NETCC ID N	IUMBER (IF REPORTED		
PHYSICIAN'S NAME PHYSICIAN TELEPHONE NUMBER NETSS I					INE 133 ID N	IONIBEN (IF NEFONTEL	(13-23)	- — l	
							CASE ID	SITE	STATE
DEMOGRAPHICS									
1. STATE OF RESIDENCE (24-25) 2. COUNTY OF RESIDENCE (26-50) CHECK IF HISTORY OF TRAVEL OUTSIDE COUNTY OF RESIDENCE WITHIN 30 DAYS OF ONSET OF SYMPTOMS.									
Postal Abrv.	Postal Abrv. IF YES, WHERE								
4. SEX (60)	5. DATE OF B	IRTH (61-68)	6. RACE (l <u> </u>	ANIC ETHNICITY (70)
1 □ MALE 2 □ FEM	ALE /	/ MM/D		HITE 3 ∐ AMEI ACK 4 □ ASIAI		ASKAN NATI' IC ISLANDEF	VE 9 ☐ NOT SPE	CIFIED 1 🗆 `	
8. INDICATE DISEASE TO BE		_ / IVIIVI/D	0/11 2 🗀 0 🗀	NOIT 4 LI NOIN	3 <u> </u>	IO IOLANDLI			
1 □ RMSF 2 □ H	IME 3 □	HGE	4 🗌 EHRLICI	HIOSIS (UNSPEC	IFIED, OR OTHER	AGENT)			
CLINICAL SIGNS, S	SYMPTOMS, A								
9. SYMPTOMS (72) ANEMIA 1 YES	2 🗆 NO 9 🗆			YES 2 □ NO YES 2 □ NO		OMITING HROMBOCYT		⊥YES 2 L N □YES 2 L N	
FEVER > 100 1 ☐ YES	2 □ NO 9 □	UNK NAUS	SEA 1 🗆 `	YES 2 🗆 NO	9 UNK LE	UKOPENIA	1 [☐YES 2 ☐ N	10 9 🗆 UNK
HEADACHE 1 ☐ YES 10. DATE OF ONSET OF SYN	2 NO 9 11	UNK RASH WAS AN UNDERL		YES 2 NO			ER ENZYMES 1 L	☐ YES 2 ☐ N	IO 9 ∐ UNK
///	· · · · ·			SPECIFY CO	,	,			
12. SPECIFY ANY LIFE-THRE 1 ☐ ADULT RESPIRATO				OF ILLNESS (82) MENINGITIS/E	NCEDUALITIC	» П отц	IER:		
$2 \square$ DISSEMINATED INT				RENAL FAILUR					
13. WAS THE PATIENT HOSP			, ,		1		USE OF THIS ILLNESS?		, ,
1 □ YES 2 □ NO 9 LABORATORY DAT		DATE) (84-91) _	//_		1 L YES 2 L	JNO 9 ∐	UNK (IF YES, DATE	.) (93-100)	/ /
15. NAME OF LABORATORY	A		CITY			STATE	ZIP CODE		
									$\overline{}$
Below, indicate Y (yes) o	r N (no) ONLY if the SEROLOGY 1 COLL	•	<u> </u>		SELECTION indi			was not perfori	med.
16. SEROLOGIC TESTS	//	_	MM/DD/YYYY	//	`	IM/DD/YYYY	17. OTHER DIAGNOSTIC TES	TS? PC	OSITIVE?
12313	TITER	POSIT	ΓIVE?	TITER	POSITI	VE?	PCR	1 □ YES	2 🗆 NO (133)
IFA-IgG		1 🗆 YES 2	□ NO (117)		1 🗆 YES 2 🗆	NO (118)	Morulae visualizatio	n* 1 □ YES	2 🗆 NO (134)
IFA-IgM		1 🗆 YES 2	□ NO (119)		1 🗆 YES 2 🗆	NO (120)	Immunostain	1 □ YES	2 NO (135)
OTHER TEST (121-130)		1 🗆 YES 2	□ NO (131)		1 🗆 YES 2 🗆	NO (132)	Culture	1 □ YES	2 NO (136)
* WAS THERE A FOURFOLD	CHANGE IN ANTIBO	DY TITER BETWE	EN THE TWO SE	RUM SPECIMENS?	(137)		* Visualization of mo	orulae not applier	able for DMSE
1 ☐ YES 2 ☐ NO							Visualization of file	пинае пот арриса	IDIE IOI NIVISE.
EPIDEMIOLOGICAI 18. TICK EXPOSURE	L FEATURES								
1. TICK BITE OR ATTACH	IMENT WITHIN 21	DAYS OF ONSE	ET?				☐ YES 2 ☐ NO		
2. IF NO TICK BITE OR ATTACHMENT, WAS PATIENT IN A KNOWN TICK INFESTED AREA WITHIN LAST 21 DAYS? 1 ☐ YES 2 ☐ NO 9 ☐ UNK 3. DID ANY OTHER FAMILY MEMBER HAVE A SIMILAR ILLNESS THIS YEAR? 1 ☐ YES 2 ☐ NO 9 ☐ UNK									
IF YES TO QUESTION 1						<u>'</u>			
FINAL DIAGNOSIS									
19. CLASSIFY CASE BASED ON THE CDC CASE DEFINITION (138-148) 1 ☐ RMSF 2 ☐ HME 3 ☐ HGE 4 ☐ EHRLICHIOSIS (unspecified, or other agent) ▶ 1 ☐ CONFIRMED 2 ☐ PROBABLE					RI F				
STATE HEALTH DEPARTMENT OFFICIAL WHO REVIEWED THIS REPORT									
NAME		IOIAL WII		TITI				DATE (MM/	/DD/YYYY)
								/	/

OTHER PERTINENT EPIDEMIOLOGICAL DATA (TO INCLUDE PROBABLE SOURCE)